

MIXPAC™ MR Series Industrial

Machine mixers for low viscosity 2-component reactive resin systems / Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102499	MSR 06-12T	Rotary mixer PP, elements POM green, stepped tip	12	6.4	1.8	111.5	30.0	2'000
102500	MSR 08-12T	Rotary mixer PP, elements POM green, stepped tip	12	8.0	2.4	130.0	27.0	1'500
102501	MSR 10-12T	Rotary mixer PP, elements POM green, stepped tip	12	10.0	3.0	155.0	22.0	1'500
102502	MSR 13-12T	Rotary mixer PP, elements POM green, stepped tip	12	13.0	4.0	197.0	17.0	1'000

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
113743	MS 13-12G	Machine Mixer PP, elements POM yellow, threaded tip	12	13.0	10.0	159	17	1'000
102517	MS 13-18G	Machine Mixer PP, elements POM yellow, threaded tip	18	12.8	10.0	223	17	800
102519	MS 13-24T-02	Machine Mixer PP, long elements POM yellow, stepped tip	24	13.0	4.0	350	17	500
102518	MS 13-24T	Machine Mixer PP, elements POM yellow, stepped tip	24	13.0	4.0	293	17	700
102522	MS 13-32G-01	Machine Mixer PP, elements POM yellow, threaded tip, treat NPT 1/4-18	32	13.0	8.0	373	17	400
102521	MS 13-32T-02	Machine Mixer PP, long elements POM yellow, stepped tip	32	13.0	4.0	453	17	400
102520	MS 13-32T	Machine Mixer PP, elements POM yellow, stepped tip	32	13.0	4.0	378	17	500

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102510	MS 08-24T	Machine Mixer PP, elements POM yellow, stepped tip	24	8.0	2.4	223	27	1'500
102511	MS 08-32T	Machine Mixer PP, elements POM yellow, stepped tip	32	8.0	2.4	289	27	1'200
102513	MS 10-18T	Machine Mixer PP, elements POM yellow, stepped tip	18	10.0	3.0	214	22	1'400
102514	MS 10-24T	Machine Mixer PP, elements POM yellow, stepped tip	24	10.0	3.0	276	22	1'000
102515	MS 10-32T	Machine Mixer PP, elements POM yellow, stepped tip	32	10.0	3.0	352	22	800

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102503	MS 05-24T	Machine Mixer PP, elements POM yellow, stepped tip	24	5.0	1.5	149	33	2'000
102504	MS 05-32T	Machine Mixer PP, elements POM yellow, stepped tip	32	5.0	1.5	188	33	2'000
102505	MS 06-24T	Machine Mixer PP, elements POM yellow, stepped tip	24	6.4	1.8	186	30	2'000
102506	MS 06-32T	Machine Mixer PP, elements POM yellow, stepped tip	32	6.4	1.8	235	30	1'700
102507	MS 06-48T	Machine Mixer PP, elements POM yellow, stepped tip	48	6.4	2.4	334	30	1'000
102509	MS 06-56L	Machine Mixer PP, element POM yellow, luer lock tip	56	6.4	4.5	378	30	800
102508	MS 06-56D	Machine Mixer PP, element POM yellow, straight tip	56	6.4	4.5	378	30	800

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MEFX Series Industrial

Machine mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
110737	MEFX 06-18T	Machine Mixer PP, elements POM blue, stepped tip, F-interface blue	18	6.4	1.8	157.4	30	1'700
110738	MEFX 08-18T	Machine Mixer PP, elements POM blue, stepped tip, F-interface blue	18	8.0	2.4	185.6	27	1'400
110871	MEFX 10-18T	Machine Mixer PP, elements POM blue, stepped tip, F-interface blue	18	9.9	3.0	222.0	22	1'000

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Statomix™ MEF Series Industrial

Mixers for high pressure with F-interface 1:1/2:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
114327	MEF 13-18T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface white	18	13.0	4.0	235	17	900
114330	MEF 13-24T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface white	24	13.0	4.0	296	17	700

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MEF Series Industrial

Machine mixers for high pressure with F-interface 1:1/2:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
110591	MEF 06-24T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface blue	24	6.4	1.8	195	30	1'600
111666	MEF 06-32T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface blue	32	6.4	1.8	245	30	1'200
110592	MEF 08-24T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface blue	24	8.0	2.4	235	27	1'200
102463	MEF 08-32T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface blue	32	8.0	2.4	299	27	900
102464	MEF 10-24T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface blue	24	9.9	3.0	280	22	900
102465	MEF 10-32T	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface blue	32	9.9	3.0	360	22	700

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ ME Series Industrial

Machine mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102455	ME 1012-0832T	Combo Mixer PP, elements POM blue, stepped tip	12+32	10/8	2.4	409	22	700
102458	ME 1312-1032T	Combo Mixer PP, elements POM blue, stepped tip	12+32	13/10	7.2	499	17	500

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ MS Series Industrial

Machine mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102512	MS 1012-0832T	Combo Mixer PP, elements POM yellow, stepped tip	12+32	10/8	2.4	409	22	700
102516	MS 1312-1032T	Combo Mixer PP, elements POM yellow, stepped tip	12+32	13/10	7.2	499	17	500

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ ME Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 15.9 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102457	ME 10-32T	Machine Mixer PP, elements POM blue, stepped tip	32	10	3	355	22	800
102460	ME 13-24T-02	Machine Mixer PP, long elements POM blue, stepped tip	24	13	4	350	17	500
102459	ME 13-24T	Machine Mixer PP, elements POM blue, stepped tip	24	13	4	293	17	700
102462	ME 13-32T-02	Machine Mixer PP, long elements POM blue, stepped tip	32	13	4	453	17	400
102461	ME 13-32T	Machine Mixer PP, elements POM blue, stepped tip	32	13	4	378	17	500

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark


Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

MIXPAC™ ME Series Industrial

Machine mixers for high pressure, Ø of bell mouth housing 15.9 mm



Important: For health and safety reasons, MIXPAC™ SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102448	ME 05-24T	Machine Mixer PP, elements POM blue, stepped tip	24	5.0	1.5	149	33	2000
102449	ME 05-32T	Machine Mixer PP, elements POM blue, stepped tip	32	5.0	1.5	188	33	2000
102450	ME 06-24T	Machine Mixer PP, elements POM blue, stepped tip	24	6.4	1.8	186	30	2000
102451	ME 06-32T	Machine Mixer PP, elements POM blue, stepped tip	32	6.4	1.8	235	30	1700
102452	ME 06-48T	Machine Mixer PP, elements POM blue, stepped tip	48	6.4	2.4	334	30	1000
102453	ME 08-24T	Machine Mixer PP, elements POM blue, stepped tip	24	8	2.4	223	27	1500
102454	ME 08-32T	Machine Mixer PP, elements POM blue, stepped tip	32	8	2.4	289	27	1200
102456	ME 10-24T	Machine Mixer PP, elements POM blue, stepped tip	24	10	3	276	22	1000

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 4360 0111
fax +45 4369 0137
mixpac@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com